## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventors: T. Mueller et al. Attorney Docket No.: MITSP124873

Patent No.: US 7593233 B2

Application No.:

10/534610

Issued:

September 22, 2009

Filing Date: May 11, 2005

Confirmation No.: 6532

Title:

MODULES FOR A MEASURING DEVICE AND MEASURING DEVICE

## REQUEST FOR CERTIFICATE OF CORRECTION

Seattle, Washington 98101

ATTN:

CERTIFICATE OF CORRECTION BRANCH COMMISSIONER FOR PATENTS:

Enclosed is a Certificate of Correction, Form PTO-1050, for the above-identified U.S. Letters Patent. The errors in the printed patent listed on the enclosed form occurred at the corresponding locations in the application file listed below:

Column,	Line	Page,	Line
(30) Pg. 1, col. 1	Foreign Appln. Priority Data	Decl. & Power of Atty., Pg. 1	Prior Foreign Aplns. box
(30) Pg. 1, col. 1	Foreign Appln. Priority Data	Decl. & Power of Atty., Pg. 1	Prior Foreign Aplns. box

Since the Certificate of Correction is necessitated by Patent and Trademark Office errors, no fee is required.

Respectfully submitted,

CHRISTENSEN O'CONNOR JOHNSON KINDNESSPLLC

L. Rhys Lawson, Ph.D. Registration No. 57,869

Direct Dial No. 206.695.1698

LRL:ejh

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

## (Also Farm PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : US 7593233 B2

APPLICATION NO. : 10/534610

ISSUE DATE : September 22, 2009
INVENTOR(S) : T. Mueller et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN	LINE	ERROR
(30) Pg. 1, col. 1	Foreign Appln. Priority Data	"103 00 072" should read100 00 072.0
(30) Pg. 1, col. 1	Foreign Appln. Priority Data	"103 26 388" should read103 26 388.8

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Christensen O'Connor Johnson Kindness<sup>PLLC</sup> 1420 Fifth Avenue, Suite 2800 Seattle, WA 98101

The collection of information is required by 37 CER 1.322, 1322 and 1.324. The information is required to obtain or trettin a benefit by the public useful as the first public of the complete information is presented by 30 US C. 122 and 57 CER 1.41. This colliders in sentented to the 1 librar to complete, including pattering, presenting and submitting the completed application from to the USPTO. Time will vary depending on the individual case. Any comments on the amount of time you required to complete this from and/or supposition for including the brushes would be sent the Total Formation Centre US Pattern and Central Office US Destinated Office US Des